

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical education and physical activity	44.5	36.6 - 52.7	67	51.7	42.1 - 61.3	81	-	-	6	49.3	42.9 - 55.8	154
b. Nutrition	48.4	40.5 - 56.4	66	48.4	37.8 - 59.1	80	-	-	6	48.5	41.6 - 55.3	152
c. Tobacco-use prevention	51.2	42.6 - 59.8	66	45.8	36.4 - 55.6	81	-	-	6	47.5	41.0 - 54.2	153
d. Alcohol- and other drug-use prevention	52.7	44.4 - 60.9	66	45.8	36.4 - 55.6	81	-	-	6	48.8	42.3 - 55.2	153
e. Chronic health conditions (e.g., asthma, food allergies)	39.7	30.8 - 49.3	65	37.0	27.3 - 47.9	80	-	-	6	39.2	32.4 - 46.5	151
f. Unintentional injury and violence prevention (safety)	38.2	29.5 - 47.8	65	40.5	31.2 - 50.4	81	-	-	5	39.5	33.0 - 46.5	151
g. Sexual health, including HIV, other STD, and pregnancy prevention	46.7	37.8 - 55.7	66	40.7	31.1 - 51.1	81	-	-	5	41.8	35.2 - 48.7	152

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	41.9	31.8 - 52.7	64	39.0	30.5 - 48.2	75	-	-	6	41.3	34.8 - 48.2	145
b. Physical education	41.0	31.0 - 51.8	63	37.4	28.9 - 46.7	76	-	-	6	39.3	32.8 - 46.3	145
c. Physical activity	30.4	21.1 - 41.7	62	37.1	29.8 - 45.1	76	-	-	6	35.0	28.9 - 41.5	144
d. School meal programs	35.4	26.6 - 45.4	62	29.1	21.9 - 37.5	76	-	-	6	32.4	26.7 - 38.8	144
e. Foods and beverages available at school outside the school meal programs	27.2	19.2 - 36.9	62	32.0	23.7 - 41.6	76	-	-	6	30.1	24.2 - 36.8	144
f. Health services	38.5	28.7 - 49.4	62	37.4	29.4 - 46.2	76	-	-	6	38.4	32.0 - 45.1	144
g. Counseling, psychological, and social services	60.1	49.7 - 69.6	63	56.2	46.7 - 65.3	76	-	-	6	58.8	52.0 - 65.3	145
h. Physical environment	69.1	58.8 - 77.8	62	59.8	50.1 - 68.8	76	-	-	6	64.4	57.6 - 70.8	144
i. Social and emotional climate	67.4	57.4 - 76.1	62	74.3	65.1 - 81.7	75	-	-	6	71.9	65.4 - 77.5	143
j. Family engagement	76.0	66.7 - 83.3	63	74.8	66.3 - 81.8	74	-	-	6	76.3	70.4 - 81.4	143
k. Community involvement	73.0	62.1 - 81.6	63	78.3	69.2 - 85.3	75	-	-	6	77.0	70.5 - 82.4	144
l. Employee wellness	47.3	38.1 - 56.8	63	43.0	34.8 - 51.6	75	-	-	6	45.0	38.8 - 51.4	144

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report

Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
59.2	49.2 - 68.5	59	50.7	43.4 - 58.0	73	-	-	4	54.1	48.3 - 59.8	136

*Among schools that engaged in an improvement planning process during the past year.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA
2020 School Health Profiles Report
Weighted Principal Survey Results

4. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Reviewed district's local wellness policy	80.7	74.0 - 86.1	68	85.0	77.8 - 90.2	83	-	-	6	83.2	78.4 - 87.1	157
b. Helped revise district's local wellness policy	47.0	37.6 - 56.5	68	46.3	38.2 - 54.7	84	-	-	6	46.7	40.5 - 53.0	158
c. Communicated to school staff about district's local wellness policy	69.1	60.5 - 76.5	68	78.7	70.3 - 85.2	84	-	-	6	73.8	67.9 - 79.0	158
d. Communicated to parents and families about district's local wellness policy	61.8	53.2 - 69.8	68	66.3	56.7 - 74.7	84	-	-	6	63.9	57.3 - 70.0	158
e. Communicated to students about district's local wellness policy	66.2	57.1 - 74.3	68	68.8	60.0 - 76.4	84	-	-	6	67.7	61.4 - 73.3	158
f. Measured school's compliance with district's local wellness policy	61.3	51.2 - 70.6	68	64.4	55.7 - 72.2	84	-	-	6	62.0	55.6 - 68.1	158
g. Developed an action plan that describes steps to meet requirements of district's local wellness policy	49.9	40.5 - 59.4	68	56.9	48.0 - 65.3	84	-	-	6	52.6	46.3 - 58.9	158

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
91.1	85.1 - 94.8	68	91.1	84.6 - 95.0	86	-	-	5	91.3	87.2 - 94.2	159

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have one or more than one group (e.g., school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
65.1	55.0 - 73.9	69	63.8	54.8 - 72.0	85	-	-	6	63.2	56.7 - 69.3	160

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identified student health needs based on a review of relevant data	70.8	59.7 - 79.9	45	83.9	74.8 - 90.1	52	-	-	2	78.7	72.0 - 84.1	99
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	75.3	63.5 - 84.2	45	64.0	53.8 - 73.1	52	-	-	2	69.5	62.1 - 76.0	99
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	68.8	58.2 - 77.7	45	62.7	51.4 - 72.8	52	-	-	2	65.0	57.3 - 72.1	99
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	82.4	70.7 - 90.1	45	85.7	75.5 - 92.1	52	-	-	2	84.6	77.5 - 89.8	99
e. Reviewed health-related curricula or instructional materials	70.9	58.0 - 81.1	45	80.3	70.9 - 87.2	52	-	-	2	76.7	69.4 - 82.7	99

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have taken any of the following actions related to before- or after-school programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Included before- or after-school settings as part of the School Improvement Plan	37.9	29.3 - 47.4	65	47.8	39.2 - 56.6	80	-	-	6	43.9	37.7 - 50.4	151
b. Encouraged before- or after-school program staff or leaders to participate in school health council, committee, or team meetings	38.1	30.4 - 46.4	68	43.6	35.7 - 51.9	86	-	-	6	41.1	35.4 - 47.0	160
c. Partnered with community-based organizations (e.g., Boys & Girls Clubs, YMCA, 4H Clubs) to provide students with before- or after-school programming	23.3	16.2 - 32.3	68	42.8	34.2 - 51.8	86	-	-	6	36.0	30.1 - 42.3	160

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
44.1	36.1 - 52.5	69	17.5	11.4 - 25.9	85	-	-	6	27.6	22.6 - 33.1	160

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	82.4	74.8 - 88.1	70	77.8	69.5 - 84.4	86	-	-	6	79.3	73.6 - 83.9	162
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	94.2	87.4 - 97.4	70	96.5	91.3 - 98.6	87	-	-	6	94.5	90.7 - 96.8	163
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	69.1	60.1 - 76.8	69	79.2	71.3 - 85.4	86	-	-	6	75.3	69.6 - 80.2	161
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	37.0	28.5 - 46.4	70	42.6	35.2 - 50.4	87	-	-	6	40.6	34.9 - 46.6	163
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	49.7	40.1 - 59.4	70	44.1	36.6 - 51.8	87	-	-	6	46.5	40.6 - 52.6	163

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.6	89.3 - 98.3	70	95.4	90.0 - 98.0	86	-	-	6	95.7	92.1 - 97.6	162

SOUTH CAROLINA

2020 School Health Profiles Report

Weighted Principal Survey Results

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.6	89.3 - 98.3	70	100.0	†	86	-	-	6	98.2	95.6 - 99.3	162

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
97.1	91.3 - 99.1	70	98.9	94.9 - 99.8	87	-	-	6	98.3	95.7 - 99.3	163

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	96.2	90.5 - 98.5	76	-	-	2	96.2	90.7 - 98.5	78
b. Seventh grade	§	§	§	91.8	85.2 - 95.6	84	-	-	2	92.0	85.5 - 95.7	86
c. Eighth grade	§	§	§	92.8	86.4 - 96.3	81	-	-	3	93.0	86.8 - 96.4	84
d. Ninth grade	98.4	92.5 - 99.7	67	-	-	2	-	-	6	98.6	93.4 - 99.7	75
e. Tenth grade	44.7	34.3 - 55.5	65	§	§	§	-	-	6	48.1	38.2 - 58.1	71
f. Eleventh grade	38.5	28.9 - 49.0	65	§	§	§	-	-	6	42.4	33.2 - 52.1	71
g. Twelfth grade	39.0	29.3 - 49.7	64	§	§	§	-	-	6	43.0	33.6 - 52.9	70

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
93.7	86.4 - 97.2	66	94.1	88.2 - 97.2	83	-	-	6	93.6	89.4 - 96.1	155

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that engage in the following physical education practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Provide physical education teachers with a written physical education curriculum that aligns with national standards for physical education	92.5	85.1 - 96.4	69	95.6	90.5 - 98.1	87	-	-	6	94.0	90.1 - 96.4	162
b. Require physical education teachers to follow a written physical education curriculum	89.9	82.0 - 94.6	69	91.6	85.4 - 95.3	87	-	-	6	90.6	86.2 - 93.8	162
c. Allow the use of waivers, exemptions, or substitutions for physical education requirements for one grading period or longer	71.1	63.4 - 77.7	70	63.1	54.3 - 71.0	86	-	-	6	67.0	61.2 - 72.4	162
d. Allow teachers to exclude students from physical education to punish them for inappropriate behavior or failure to complete class work in another class	7.0	4.0 - 12.1	70	6.7	3.8 - 11.4	87	-	-	6	6.6	4.4 - 9.7	163
e. Require physical education teachers to be certified, licensed, or endorsed by the state in physical education	98.5	92.9 - 99.7	70	100.0	†	87	-	-	6	99.4	97.1 - 99.9	163
f. Limit physical education class sizes so that they are the same size as other subject areas	61.0	52.4 - 69.0	69	48.7	40.1 - 57.4	86	-	-	6	54.8	48.7 - 60.8	161
g. Have a dedicated budget for physical education materials and equipment	85.1	78.4 - 90.0	69	85.5	77.5 - 91.0	84	-	-	6	83.4	78.3 - 87.6	159

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that engage in the following physical education practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
h. Provide adapted physical education (i.e., special courses separate from regular PE courses) for students with disabilities as appropriate	79.5	71.1 - 85.9	69	69.8	60.9 - 77.4	86	-	-	6	73.5	67.5 - 78.8	161
i. Include students with disabilities in regular physical education courses as appropriate	100.0	†	69	100.0	†	85	-	-	6	98.8	96.3 - 99.6	160

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which students participate in physical activity in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
44.8	34.9 - 55.2	69	66.1	58.0 - 73.3	85	-	-	6	57.0	50.7 - 63.0	160

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to be physically active during the school day, such as recess, lunchtime intramural activities, or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
55.7	45.8 - 65.2	69	93.0	88.3 - 95.9	86	-	-	6	77.8	72.9 - 82.0	161

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
82.6	74.1 - 88.7	70	87.3	79.9 - 92.3	85	-	-	6	85.3	80.0 - 89.3	161

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Before the school day	45.9	37.0 - 55.0	69	23.7	16.5 - 32.7	86	-	-	6	32.8	27.1 - 39.1	161
b. After the school day	94.1	89.6 - 96.7	70	82.4	74.0 - 88.5	86	-	-	6	87.7	82.7 - 91.4	162

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity or sports facilities	58.4	49.3 - 66.9	70	57.1	48.7 - 65.1	86	-	-	6	58.0	52.0 - 63.7	162
b. Kitchen facilities and equipment	15.7	10.6 - 22.8	70	23.0	16.8 - 30.7	86	-	-	6	19.3	15.1 - 24.3	162
c. Gardens	14.1	8.8 - 21.8	70	10.5	6.1 - 17.5	86	-	-	6	11.6	8.1 - 16.3	162

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have a written plan for providing opportunities for students to be physically active before, during, and after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
26.0	18.2 - 35.6	69	30.5	23.1 - 39.1	85	-	-	6	29.4	24.0 - 35.5	160

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that have assessed opportunities available to students to be physically active before, during, or after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
45.5	36.7 - 54.6	70	45.2	36.9 - 53.8	86	-	-	6	44.9	38.8 - 51.1	162

SOUTH CAROLINA

2020 School Health Profiles Report

Weighted Principal Survey Results

24. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
100.0	†	70	100.0	†	86	-	-	5	100.0	†	161

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	98.6	93.3 - 99.7	69	98.7	93.8 - 99.7	85	-	-	5	98.7	96.0 - 99.6	159
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	98.6	93.3 - 99.7	69	98.7	93.8 - 99.7	85	-	-	5	98.7	96.0 - 99.6	159
c. Cigars	98.6	93.3 - 99.7	69	97.5	92.4 - 99.2	85	-	-	5	98.0	95.0 - 99.2	159
d. Pipes	98.6	93.3 - 99.7	69	97.5	92.4 - 99.2	85	-	-	5	98.0	95.0 - 99.2	159
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	97.2	91.4 - 99.1	68	98.7	93.8 - 99.7	85	-	-	5	98.1	95.3 - 99.3	158

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	98.6	93.3 - 99.7	69	98.7	93.8 - 99.7	85	-	-	5	98.7	96.0 - 99.6	159
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	98.6	93.3 - 99.7	69	98.7	93.8 - 99.7	85	-	-	5	98.7	96.0 - 99.6	159
c. Cigars	98.6	93.3 - 99.7	69	97.4	92.3 - 99.2	84	-	-	5	98.0	95.0 - 99.2	158
d. Pipes	98.6	93.3 - 99.7	69	97.5	92.4 - 99.2	85	-	-	5	98.0	95.0 - 99.2	159
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	97.2	91.4 - 99.1	68	97.5	92.4 - 99.2	85	-	-	5	97.4	94.3 - 98.9	158

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	98.6	93.3 - 99.7	69	98.7	93.8 - 99.7	85	-	-	5	98.7	96.0 - 99.6	159
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	98.6	93.3 - 99.7	69	98.7	93.8 - 99.7	85	-	-	5	98.7	96.0 - 99.6	159
c. Cigars	98.6	93.3 - 99.7	69	97.5	92.4 - 99.2	85	-	-	5	98.0	95.0 - 99.2	159
d. Pipes	98.6	93.3 - 99.7	69	97.5	92.4 - 99.2	85	-	-	5	98.0	95.0 - 99.2	159
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	97.2	91.4 - 99.1	68	97.5	92.4 - 99.2	85	-	-	5	97.4	94.3 - 98.9	158

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	98.6	93.3 - 99.7	69	100.0	†	85	-	-	5	99.4	97.2 - 99.9	159
b. During non-school hours	92.9	85.8 - 96.6	69	94.1	88.2 - 97.1	84	-	-	5	93.8	89.8 - 96.3	158

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	98.6	93.2 - 99.7	68	100.0	†	85	-	-	5	99.4	97.2 - 99.9	158
b. During non-school hours	89.9	83.5 - 94.0	68	89.2	82.0 - 93.8	84	-	-	5	89.8	85.3 - 93.1	157

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	97.2	91.4 - 99.1	68	100.0	†	85	-	-	5	98.9	96.5 - 99.6	158
b. During non-school hours	89.9	83.5 - 94.0	68	90.5	83.6 - 94.7	84	-	-	5	90.6	86.2 - 93.6	157

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

27. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	100.0	†	69	100.0	†	86	-	-	5	100.0	†	160
b. Outside on school grounds, including parking lots and playing fields	100.0	†	69	100.0	†	86	-	-	5	100.0	†	160
c. On school buses or other vehicles used to transport students	100.0	†	69	100.0	†	86	-	-	5	100.0	†	160
d. At off-campus, school-sponsored events	100.0	†	69	100.0	†	86	-	-	5	100.0	†	160

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

27. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	100.0	†	69	100.0	†	84	-	-	5	100.0	†	158
b. Outside on school grounds, including parking lots and playing fields	100.0	†	69	100.0	†	84	-	-	5	100.0	†	158
c. On school buses or other vehicles used to transport students	100.0	†	69	100.0	†	84	-	-	5	100.0	†	158
d. At off-campus, school-sponsored events	98.5	92.8 - 99.7	69	98.7	94.0 - 99.7	84	-	-	5	98.1	95.2 - 99.2	158

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

27. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	100.0	†	69	100.0	†	84	-	-	5	100.0	†	158
b. Outside on school grounds, including parking lots and playing fields	100.0	†	69	100.0	†	84	-	-	5	100.0	†	158
c. On school buses or other vehicles used to transport students	98.6	93.3 - 99.7	69	100.0	†	84	-	-	5	99.4	97.2 - 99.9	158
d. At off-campus, school-sponsored events	88.2	81.0 - 92.9	69	86.2	79.0 - 91.2	83	-	-	5	86.8	82.0 - 90.5	157

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

27N. Percentage of schools that follow a policy that mandates a “tobacco-free environment.” A “tobacco-free environment” is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
78.0	69.1 - 84.9	68	78.6	70.0 - 85.3	81	-	-	5	78.4	72.5 - 83.4	154

*Responses to question 25 (a, b, c, and d), question 26 (a and b), and question 27 (a, b, c, and d) are all "yes."

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

TOBVAPE. Percentage of schools that follow a policy that mandates a “tobacco-free environment” including prohibiting electronic vapor products. A “tobacco-free environment” is one that prohibits tobacco and EVP use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
77.7	68.7 - 84.7	67	78.6	70.0 - 85.3	81	-	-	5	78.3	72.3 - 83.3	153

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Foods or beverages are not offered at school celebrations	4.2	1.6 - 10.2	70	1.2	0.2 - 5.9	86	-	-	6	2.4	1.1 - 5.2	162
b. Never	0.0	†	70	3.6	1.4 - 8.8	86	-	-	6	2.0	0.8 - 5.0	162
c. Rarely	15.9	10.7 - 22.9	70	9.8	5.5 - 16.8	86	-	-	6	11.9	8.4 - 16.4	162
d. Sometimes	44.3	34.2 - 54.8	70	51.2	42.9 - 59.5	86	-	-	6	49.0	42.7 - 55.3	162
e. Always or almost always	35.7	27.0 - 45.5	70	34.2	27.2 - 42.0	86	-	-	6	34.8	29.4 - 40.6	162

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report

Weighted Principal Survey Results

29. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
92.5	87.3 - 95.7	69	59.9	51.3 - 67.9	85	-	-	6	73.8	68.4 - 78.6	160

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Chocolate candy	19.0	12.0 - 28.8	68	13.4	8.6 - 20.2	83	-	-	6	16.4	12.1 - 21.8	157
b. Other kinds of candy	30.3	23.0 - 38.9	69	18.4	13.0 - 25.5	83	-	-	6	24.4	19.9 - 29.6	158
c. Salty snacks that are not low in fat (e.g., regular potato chips)	25.4	17.4 - 35.5	67	22.1	16.3 - 29.1	83	-	-	6	24.4	19.4 - 30.2	156
d. Low sodium or "no added salt" pretzels, crackers, or chips	71.9	63.4 - 79.0	68	41.5	32.9 - 50.8	83	-	-	6	55.3	49.1 - 61.3	157
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	30.5	21.5 - 41.4	68	21.0	15.3 - 28.0	83	-	-	6	25.9	20.6 - 31.9	157
f. Ice cream or frozen yogurt that is not low in fat	8.9	4.6 - 16.7	68	17.1	11.8 - 24.3	83	-	-	6	13.2	9.5 - 18.0	157
g. 2% or whole milk (plain or flavored)	25.4	17.7 - 35.1	66	18.5	12.5 - 26.5	83	-	-	6	21.2	16.3 - 27.0	155
h. Nonfat or 1% (low-fat) milk (plain)	42.4	33.6 - 51.8	68	27.0	20.1 - 35.3	83	-	-	6	32.9	27.4 - 38.9	157
i. Water ices or frozen slushes that do not contain juice	22.7	16.4 - 30.5	66	13.4	9.0 - 19.3	83	-	-	6	17.8	13.9 - 22.4	155
j. Soda pop or fruit drinks that are not 100% juice	31.3	23.1 - 40.9	67	15.4	10.6 - 22.0	83	-	-	6	22.5	17.9 - 27.8	156
k. Sports drinks (e.g., Gatorade)	69.0	61.5 - 75.7	68	28.6	22.6 - 35.5	83	-	-	6	45.7	41.0 - 50.5	157

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	5.8	3.2 - 10.1	68	1.1	0.2 - 5.3	83	-	-	6	3.0	1.7 - 5.2	157
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	84.8	76.8 - 90.3	66	53.8	44.9 - 62.5	84	-	-	6	67.1	61.0 - 72.6	156
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	72.8	63.9 - 80.2	67	27.9	20.7 - 36.6	82	-	-	6	47.4	41.7 - 53.2	155
o. 100% fruit or vegetable juice	67.1	58.6 - 74.6	68	39.0	30.9 - 47.8	84	-	-	6	51.3	45.4 - 57.2	158
p. Foods or beverages containing caffeine	45.2	36.8 - 53.9	68	9.9	6.1 - 15.7	83	-	-	6	25.6	21.5 - 30.2	157
q. Fruits (not fruit juice)	51.1	42.3 - 59.8	68	18.7	12.7 - 26.7	83	-	-	6	31.7	26.6 - 37.3	157
r. Non-fried vegetables (not vegetable juice)	38.0	29.5 - 47.4	68	12.7	8.1 - 19.4	83	-	-	6	24.3	19.6 - 29.7	157

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA
2020 School Health Profiles Report
Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	10.1	5.4 - 18.1	70	15.8	10.4 - 23.2	85	-	-	6	13.5	9.7 - 18.6	161
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	49.8	40.6 - 59.0	70	41.5	32.8 - 50.8	86	-	-	6	44.0	37.7 - 50.5	162
c. Provided information to students or families on the nutrition and caloric content of foods available	54.8	45.1 - 64.1	69	65.5	57.3 - 72.8	86	-	-	6	60.6	54.4 - 66.5	161
d. Conducted taste tests to determine food preferences for nutritious items	58.5	47.4 - 68.8	68	48.4	39.7 - 57.2	86	-	-	6	51.9	45.2 - 58.4	160
e. Served locally or regionally grown foods in the cafeteria or classrooms	51.2	43.6 - 58.7	68	54.3	46.0 - 62.3	84	-	-	6	52.9	47.2 - 58.4	158
f. Planted a school food or vegetable garden	38.0	29.3 - 47.6	68	38.4	29.9 - 47.7	85	-	-	6	38.7	32.4 - 45.3	159
g. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	92.7	85.4 - 96.5	68	87.4	81.5 - 91.7	86	-	-	6	89.3	85.1 - 92.5	160
h. Used attractive displays for fruits and vegetables in the cafeteria	79.8	71.5 - 86.2	68	74.9	66.2 - 81.9	86	-	-	6	77.1	71.3 - 82.1	160

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i. Offered a self-serve salad bar to students	41.7	33.9 - 50.0	67	34.0	26.1 - 42.8	86	-	-	6	38.2	32.5 - 44.3	159
j. Encouraged students to drink plain water	91.2	83.6 - 95.5	68	85.9	78.0 - 91.2	86	-	-	6	88.5	83.4 - 92.2	160
k. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	33.9	25.4 - 43.5	68	26.8	20.0 - 34.9	85	-	-	6	29.9	24.4 - 35.9	159
l. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	39.9	30.8 - 49.7	68	34.1	26.2 - 43.1	86	-	-	6	35.8	29.8 - 42.2	160

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	79.7	70.4 - 86.6	69	75.5	66.6 - 82.7	86	-	-	6	77.5	71.3 - 82.6	161
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	56.6	46.3 - 66.3	69	73.0	64.2 - 80.3	86	-	-	6	66.2	59.8 - 72.0	161
c. On school buses or other vehicles used to transport students	81.2	72.3 - 87.7	69	78.0	69.5 - 84.7	86	-	-	6	79.4	73.6 - 84.3	161
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	65.6	55.5 - 74.5	69	72.1	63.9 - 79.1	86	-	-	6	69.9	63.8 - 75.5	161
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	78.4	69.0 - 85.6	69	70.0	61.3 - 77.5	86	-	-	6	73.8	67.7 - 79.2	161

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Yes, in all locations	81.7	71.6 - 88.7	65	88.6	82.3 - 92.8	85	-	-	5	85.0	79.7 - 89.1	155
b. Yes, in certain locations	12.2	6.8 - 20.9	65	11.4	7.2 - 17.7	85	-	-	5	12.0	8.4 - 16.7	155
c. No	6.2	2.7 - 13.4	65	0.0	†	85	-	-	5	3.0	1.5 - 6.1	155

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

33N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
93.8	86.6 - 97.3	65	100.0	†	85	-	-	5	97.0	93.9 - 98.5	155

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cafeteria during breakfast	98.5	93.0 - 99.7	70	98.9	94.7 - 99.8	83	-	-	6	98.2	95.5 - 99.3	159
b. Cafeteria during lunch	98.5	93.0 - 99.7	70	98.9	94.7 - 99.8	83	-	-	6	98.2	95.5 - 99.3	159
c. Gymnasium or other indoor physical activity facilities	97.0	91.0 - 99.0	70	96.3	90.9 - 98.5	86	-	-	6	96.7	93.3 - 98.4	162
d. Outdoor physical activity facilities or sports fields	95.7	89.4 - 98.3	69	77.5	69.5 - 83.9	83	-	-	6	85.7	80.8 - 89.5	158
e. Hallways throughout the school	100.0	†	70	98.7	93.9 - 99.7	86	-	-	6	99.3	96.5 - 99.9	162

*Among schools with that location.

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
86.7	79.2 - 91.8	69	93.3	87.4 - 96.5	86	-	-	6	89.7	85.4 - 92.9	161

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
26.3	18.5 - 35.9	69	17.9	12.1 - 25.6	86	-	-	6	21.8	16.9 - 27.6	161

SOUTH CAROLINA

2020 School Health Profiles Report

Weighted Principal Survey Results

37. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
26.6	17.8 - 37.7	68	19.3	13.1 - 27.5	85	-	-	6	22.1	16.9 - 28.4	159

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	1.5	0.3 - 7.2	69	0.0	†	86	-	-	6	0.6	0.1 - 2.9	161
b. HIV treatment (ongoing medical care for persons living with HIV)	0.0	†	69	1.2	0.2 - 5.9	86	-	-	6	1.3	0.4 - 3.9	161
c. STD testing	1.5	0.3 - 7.2	69	0.0	†	86	-	-	6	1.2	0.4 - 3.7	161
d. STD treatment	0.0	†	69	0.0	†	85	-	-	6	0.6	0.1 - 2.9	160
e. Pregnancy testing	1.5	0.3 - 7.2	69	0.0	†	86	-	-	6	1.2	0.4 - 3.7	161
f. Provision of condoms	0.0	†	69	0.0	†	85	-	-	6	0.0	†	160
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.0	†	69	0.0	†	86	-	-	6	0.0	†	161
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.0	†	69	0.0	†	86	-	-	6	0.6	0.1 - 2.9	161
i. Prenatal care	0.0	†	67	0.0	†	85	-	-	6	0.0	†	158

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA
2020 School Health Profiles Report
Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
j. Human papillomavirus (HPV) vaccine administration	0.0	†	69	1.1	0.2 - 5.1	86	-	-	6	0.6	0.1 - 2.9	161
k. Assessment for alcohol or other drug use, abuse, or dependency	5.8	2.6 - 12.5	67	5.6	3.1 - 9.8	85	-	-	6	6.1	3.8 - 9.5	158
l. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	80.9	72.8 - 87.0	69	87.2	79.7 - 92.2	86	-	-	6	83.4	78.0 - 87.6	161
m. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	73.7	64.1 - 81.5	69	79.0	70.7 - 85.4	86	-	-	6	76.5	70.4 - 81.6	161
n. Case management for students with chronic health conditions (e.g., asthma, diabetes)	68.0	58.3 - 76.4	69	76.3	66.8 - 83.7	85	-	-	6	72.6	66.0 - 78.4	160

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	17.3	11.0 - 26.1	64	7.9	4.1 - 14.7	77	-	-	5	12.7	8.9 - 17.8	146
b. HIV treatment (ongoing medical care for persons living with HIV)	19.2	12.6 - 28.2	68	13.6	8.8 - 20.5	85	-	-	6	17.2	13.0 - 22.3	159
c. nPEP (non-occupational post-exposure prophylaxis for HIV—a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	14.8	9.3 - 22.8	68	13.8	8.9 - 20.9	85	-	-	6	15.6	11.7 - 20.4	159
d. PrEP (pre-exposure prophylaxis for HIV—medication taken daily to prevent HIV infection for those at substantial risk for HIV)	14.8	9.3 - 22.8	68	15.1	9.8 - 22.4	85	-	-	6	16.3	12.2 - 21.3	159
e. STD testing	19.1	13.0 - 27.2	63	6.8	3.3 - 13.5	76	-	-	5	12.9	9.2 - 17.7	144
f. STD treatment	17.0	11.4 - 24.6	65	5.4	2.4 - 11.7	76	-	-	5	11.3	8.0 - 15.8	146
g. Pregnancy testing	21.3	14.5 - 30.2	61	8.0	4.1 - 14.8	76	-	-	5	14.4	10.5 - 19.5	142

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
h. Provision of condoms	12.7	7.7 - 20.3	64	3.9	1.5 - 9.6	78	-	-	5	8.0	5.2 - 12.1	147
i. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	14.0	8.7 - 22.0	65	3.9	1.5 - 9.6	78	-	-	5	8.6	5.7 - 12.8	148
j. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	14.0	8.7 - 22.0	65	3.9	1.5 - 9.6	78	-	-	5	9.2	6.2 - 13.6	148
k. Prenatal care	21.3	14.5 - 30.1	61	8.3	4.3 - 15.4	73	-	-	5	15.4	11.2 - 20.7	139
l. Human papillomavirus (HPV) vaccine administration	19.8	13.0 - 28.9	66	17.4	11.6 - 25.2	85	-	-	6	20.8	16.1 - 26.3	157
m. Alcohol or other drug abuse treatment	52.8	42.5 - 62.9	66	43.1	35.1 - 51.4	85	-	-	6	48.4	42.1 - 54.6	157

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
62.2	49.6 - 73.4	56	57.1	47.9 - 65.8	82	-	-	5	60.4	53.2 - 67.2	143

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	94.2	87.4 - 97.4	69	95.3	89.7 - 97.9	86	-	-	6	95.0	91.3 - 97.2	161
b. Food allergies	94.2	87.4 - 97.4	69	95.3	89.7 - 97.9	86	-	-	6	95.0	91.3 - 97.2	161
c. Diabetes	95.6	89.2 - 98.3	69	95.2	89.6 - 97.9	85	-	-	6	95.5	91.9 - 97.6	160
d. Epilepsy or seizure disorder	95.5	89.0 - 98.2	68	94.2	88.4 - 97.2	86	-	-	6	94.9	91.2 - 97.1	160
e. Obesity	29.6	20.6 - 40.4	68	43.6	35.0 - 52.7	86	-	-	6	38.3	31.9 - 45.1	160
f. Hypertension/high blood pressure	73.9	64.2 - 81.7	69	81.0	72.9 - 87.1	86	-	-	6	78.8	73.0 - 83.7	161
g. Oral health condition (e.g., abscess, tooth decay)	49.4	39.1 - 59.7	69	68.3	59.8 - 75.7	86	-	-	6	61.9	55.6 - 67.8	161

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	37.9	28.6 - 48.1	69	42.8	34.8 - 51.1	86	-	-	6	42.3	36.2 - 48.5	161
b. Food allergies	34.8	25.7 - 45.2	69	41.7	33.7 - 50.1	86	-	-	6	40.4	34.4 - 46.7	161
c. Diabetes	36.3	27.4 - 46.3	69	41.7	33.7 - 50.1	86	-	-	6	41.1	35.1 - 47.3	161
d. Epilepsy or seizure disorder	33.3	24.5 - 43.5	69	39.2	31.3 - 47.7	86	-	-	6	38.4	32.6 - 44.7	161
e. Obesity	29.2	20.8 - 39.3	69	32.4	24.8 - 41.0	85	-	-	6	32.3	26.5 - 38.7	160
f. Hypertension/high blood pressure	36.4	27.9 - 45.8	69	40.2	32.2 - 48.8	86	-	-	6	40.2	34.4 - 46.4	161
g. Oral health condition (e.g., abscess, tooth decay)	45.0	35.1 - 55.3	69	49.4	40.9 - 58.0	85	-	-	6	48.9	42.5 - 55.3	160

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school does not provide any sexual or reproductive health services	84.9	76.8 - 90.5	67	89.1	81.8 - 93.7	81	-	-	5	86.4	81.3 - 90.3	153
b. Parental consent is required before any sexual or reproductive health services are provided	13.7	8.5 - 21.4	67	9.8	5.5 - 16.8	81	-	-	5	11.7	8.1 - 16.5	153
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	0.0	†	67	0.0	†	81	-	-	5	0.6	0.1 - 3.0	153
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	1.4	0.3 - 6.9	67	1.1	0.2 - 5.4	81	-	-	5	1.2	0.4 - 3.7	153
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	0.0	†	67	0.0	†	81	-	-	5	0.0	†	153
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	0.0	†	67	0.0	†	81	-	-	5	0.0	†	153

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school does not refer any sexual or reproductive health services	67.2	56.9 - 76.1	58	83.2	75.8 - 88.6	72	-	-	4	75.9	69.9 - 81.0	134
b. Parental consent is required before any sexual or reproductive health services are referred	25.9	18.1 - 35.7	58	16.8	11.4 - 24.2	72	-	-	4	21.4	16.6 - 27.2	134
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about referrals provided only upon request	1.7	0.3 - 7.9	58	0.0	†	72	-	-	4	0.7	0.1 - 3.3	134
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the referral provided	1.8	0.4 - 8.6	58	0.0	†	72	-	-	4	0.7	0.1 - 3.5	134
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all referrals provided	1.7	0.3 - 7.9	58	0.0	†	72	-	-	4	0.7	0.1 - 3.3	134
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any referrals provided	1.7	0.3 - 7.9	58	0.0	†	72	-	-	4	0.7	0.1 - 3.3	134

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools in which any staff received professional development on each of the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Basic sexual health overview including community-specific information about STD, HIV, and unplanned pregnancy rates and prevention strategies	50.3	41.2 - 59.4	67	45.1	35.7 - 54.8	85	-	-	6	47.9	41.3 - 54.7	158
b. Sexual health services that adolescents should receive	43.8	34.1 - 54.0	66	34.0	26.3 - 42.8	85	-	-	6	38.4	32.4 - 44.9	157
c. Laws and policies related to adolescent sexual health services, such as minor consent for sexual health services	47.5	38.0 - 57.2	65	35.6	28.4 - 43.4	85	-	-	6	41.3	35.6 - 47.4	156
d. Importance of maintaining student confidentiality for sexual health services	52.0	41.4 - 62.5	67	47.2	39.0 - 55.6	85	-	-	6	49.2	42.8 - 55.7	158
e. How to create or use a student referral guide for sexual health services	25.2	17.0 - 35.5	64	21.5	14.7 - 30.2	85	-	-	5	23.5	18.1 - 29.9	154
f. How to make successful referrals of students to sexual health services	26.4	18.0 - 36.8	65	25.1	17.6 - 34.4	85	-	-	6	26.5	20.8 - 33.1	156
g. Best practices for adolescent sexual health services provision, such as making services youth-friendly	29.7	21.0 - 40.1	64	22.7	16.1 - 31.1	85	-	-	5	26.6	21.1 - 32.9	154
h. Ensuring sexual health services are inclusive of lesbian, gay, bisexual, and transgender students	36.8	27.8 - 46.8	65	24.6	17.8 - 32.8	85	-	-	5	30.4	24.8 - 36.7	155

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Provided parents with information to support parent-adolescent communication about sex	23.2	16.2 - 31.9	69	11.6	6.9 - 18.8	83	-	-	6	16.5	12.3 - 21.7	158
b. Provided parents with information to support parent-adolescent communication about topics other than sex	42.1	32.6 - 52.2	69	51.0	41.7 - 60.2	84	-	-	6	46.7	40.1 - 53.5	159
c. Provided parents with information about how to monitor their teen (e.g., setting parental expectations, keeping track of their teen, responding when their teen breaks the rules)	41.8	31.7 - 52.7	69	53.6	45.3 - 61.6	85	-	-	6	48.7	42.3 - 55.2	160
d. Provided parents with information to support one-on-one time between adolescents and their health care providers	20.4	13.5 - 29.5	69	14.5	9.4 - 21.7	83	-	-	6	17.6	13.2 - 23.0	158
e. Provided parents with information about physical education and physical activity programs	72.1	62.9 - 79.7	69	83.8	76.4 - 89.3	85	-	-	6	78.5	73.0 - 83.2	160
f. Involved parents as school volunteers in the delivery of health education activities and services	22.0	14.8 - 31.5	68	15.3	10.3 - 22.1	84	-	-	6	18.7	14.2 - 24.1	158
g. Involved parents as school volunteers in physical education or physical activity programs	30.8	22.1 - 41.0	69	42.3	34.3 - 50.7	84	-	-	6	37.9	32.1 - 44.1	159

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
h. Linked parents and families to health services and programs in the community	66.3	54.9 - 76.0	69	66.3	57.9 - 73.9	84	-	-	6	67.5	61.0 - 73.5	159
i. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	40.5	30.9 - 50.9	69	36.1	28.0 - 45.0	84	-	-	6	38.4	32.1 - 45.1	159
j. Provided parents with information about before- or after-school programs available in the community	54.7	45.1 - 64.0	69	72.8	64.0 - 80.2	84	-	-	6	65.9	59.6 - 71.6	159

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that currently implement any of the following school-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	78.9	70.3 - 85.4	67	75.7	68.0 - 82.0	86	-	-	6	76.6	71.0 - 81.4	159
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	66.0	56.3 - 74.6	66	75.5	67.0 - 82.4	86	-	-	6	71.5	65.3 - 77.0	158

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that currently connect students to any of the following community-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	65.2	57.0 - 72.6	67	52.0	43.6 - 60.2	86	-	-	6	57.7	51.8 - 63.4	159
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	68.0	59.0 - 75.9	67	62.8	54.3 - 70.5	86	-	-	6	65.6	59.5 - 71.1	159

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

SOUTH CAROLINA

2020 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
43.9	35.0 - 53.2	66	34.0	26.2 - 42.8	82	-	-	6	37.9	32.0 - 44.2	154