

POWER EQUIPMENT TECHNOLOGY 1, 2, 3, 4
COURSE CODE: 6300, 6301, 6302, 6303
STUDENT PROFILE

| | |
|------------------------------|------------------------|
| STUDENT'S NAME: | TEACHER'S NAME: |
| School Year/Semester: | Date Began: |
| Grade: | Date Completed: |

Directions: Document student's progress using the applicable rating scales below: Enter date of completion under the appropriate column.

0 - Has not received instruction in this area / **no experience or knowledge of this task (N/A)**

1 – Requires additional instruction and or **close supervision (60-69)**

2 – Can perform the task completely with **limited supervision (70-79)**

3 – Can apply and perform **independently (80-100)**

| A. SHOP SAFETY | | 0 | 1 | 2 | 3 |
|---------------------------------|--|----------|----------|----------|----------|
| 1 | Demonstrate how to keep a clean, orderly, safe work area. | | | | |
| 2 | Demonstrate the use of a fire extinguisher. | | | | |
| 3 | Demonstrate the safe use of hand and power tools. | | | | |
| 4 | Demonstrate safe dress and use of relevant safety gear and personal protective equipment (PPE). | | | | |
| 5 | Discuss the importance of Environmental Protection Agency (EPA) regulations/guidelines related to power equipment. | | | | |
| 6 | Recognize and observe OSHA regulations. | | | | |
| B. STUDENT ORGANIZATIONS | | 0 | 1 | 2 | 3 |
| 1 | Identify the purpose and goals of a Career and Technology Student Organization (CTSO). | | | | |
| 2 | Explain how CTSOs are integral parts of specific clusters, majors, and/or courses. | | | | |
| 3 | Explain the benefits and responsibilities of being a member of a CTSO. | | | | |
| 4 | List leadership opportunities that are available to students through participation in CTSO conferences, competitions, community service, philanthropy, and other activities. | | | | |
| 5 | Explain how participation in CTSOs can promote lifelong benefits in other professional and civic organizations. | | | | |
| C. TECHNOLOGY KNOWLEDGE | | 0 | 1 | 2 | 3 |
| 1 | Demonstrate proficiency and skills associated with the use of technologies that are common to a specific occupation (e.g., keying speed). | | | | |

| | | | | | |
|---|--|----------|----------|----------|----------|
| 2 | Identify proper netiquette when using e-mail, social media, and other technologies for communication purposes. | | | | |
| 3 | Identify potential abuse and unethical uses of laptops, tablets, computers, and/or networks. | | | | |
| 4 | Explain the consequences of social, illegal, and unethical uses of technology (e.g., cyber bullying; piracy; illegal downloading; licensing infringement; inappropriate uses of software, hardware, and mobile devices in the work environment). | | | | |
| 5 | Discuss legal issues and the terms of use related to copyright laws, fair use laws, and ethics pertaining to downloading of images, photographs, documents, video, sounds, music, trademarks, and other elements for personal use. | | | | |
| 6 | Describe ethical and legal practices of safeguarding the confidentiality of business-related information. | | | | |
| 7 | Describe possible threats to a laptop, tablet, computer, and/or network and methods of avoiding attacks. | | | | |
| 8 | Evaluate various solutions to common hardware and software problems. | | | | |
| D. PERSONAL QUALITIES AND EMPLOYABILITY SKILLS | | 0 | 1 | 2 | 3 |
| 1 | Demonstrate punctuality. | | | | |
| 2 | Demonstrate self-representation. | | | | |
| 3 | Demonstrate work ethic. | | | | |
| 4 | Demonstrate respect. | | | | |
| 5 | Demonstrate time management. | | | | |
| 6 | Demonstrate integrity. | | | | |
| 7 | Demonstrate leadership. | | | | |
| 8 | Demonstrate teamwork and collaboration. | | | | |
| 9 | Demonstrate conflict resolution. | | | | |
| 10 | Demonstrate perseverance. | | | | |
| 11 | Demonstrate commitment. | | | | |
| 12 | Demonstrate a healthy view of competition | | | | |
| 13 | Demonstrate a global perspective. | | | | |
| 14 | Demonstrate health and fitness. | | | | |
| 15 | Demonstrate self-direction. | | | | |

| | | | | | |
|---|---|----------|----------|----------|----------|
| 16 | Demonstrate lifelong learning. | | | | |
| E. PROFESSIONAL KNOWLEDGE | | 0 | 1 | 2 | 3 |
| 1 | Demonstrate effective speaking and listening skills. | | | | |
| 2 | Demonstrate effective reading and writing skills. | | | | |
| 3 | Demonstrate mathematical reasoning. | | | | |
| 4 | Demonstrate job-specific mathematics skills. | | | | |
| 5 | Demonstrate critical-thinking and problem-solving skills. | | | | |
| 6 | Demonstrate creativity and resourcefulness. | | | | |
| 7 | Demonstrate an understanding of business ethics. | | | | |
| 8 | Demonstrate confidentiality. | | | | |
| 9 | Demonstrate an understanding of workplace structures, organizations, systems, and climates. | | | | |
| 10 | Demonstrate diversity awareness. | | | | |
| 11 | Demonstrate job acquisition and advancement skills. | | | | |
| 12 | Demonstrate task management skills. | | | | |
| 13 | Demonstrate customer-service skills. | | | | |
| F. PRINCIPLES OF ENGINE OPERATION, TWO-AND FOUR-STROKE ENGINES | | 0 | 1 | 2 | 3 |
| 1 | Identify four-stroke engine components and their operations. | | | | |
| 2 | Identify two-stroke engine components and their operations. | | | | |
| 3 | Describe the operation of engine systems. | | | | |
| G. FUEL SYSTEM SERVICE | | 0 | 1 | 2 | 3 |
| 1 | Service or replace a fuel filter. | | | | |
| 2 | Clean fuel tank and lines. | | | | |
| 3 | Service and adjust a vacuum-type carburetor. | | | | |
| 4 | Service and adjust a float-type carburetor. | | | | |
| 5 | Service and adjust a diaphragm-type carburetor. | | | | |
| 6 | Remove and replace a fuel pump. | | | | |
| 7 | Remove and replace primer bulb. | | | | |
| 8 | Identify/Test level of ethanol. | | | | |

| | | | | | |
|---|---|----------|----------|----------|----------|
| 9 | Remove and replace fuel shut-off switch. | | | | |
| 10 | Identify and test anti-afterfire solenoid | | | | |
| H. IGNITION SYSTEM SERVICE | | 0 | 1 | 2 | 3 |
| 1 | Gauge and replace a spark plug. | | | | |
| 2 | Remove and replace a flywheel using proper tools. | | | | |
| 3 | Test and replace an ignition coil. | | | | |
| 4 | Adjust armature air gap. | | | | |
| 5 | Test and replace an ignition kill wire. | | | | |
| 6 | Replace a diode assembly. | | | | |
| 7 | Troubleshoot a magneto ignition system. | | | | |
| 8 | Remove and replace a safety switch. | | | | |
| 9 | Remove and replace a brake band assembly. | | | | |
| I. ENGINE DISASSEMBLY AND INSPECTION | | 0 | 1 | 2 | 3 |
| 1 | Disassemble and inspect engine components. | | | | |
| 2 | Measure engine wear with precision measuring instruments. | | | | |
| 3 | Grind valves and valve seats. | | | | |
| 4 | Lap valves with grinding compound. | | | | |
| 5 | Deglaze and clean a cylinder. | | | | |
| 6 | Repair damaged threads using tap and die set. | | | | |
| 7 | Repair damaged threads using thread insert. | | | | |
| 8 | Remove and replace oil seals. | | | | |
| 9 | Replace a crankshaft. | | | | |
| 10 | Install piston rings. | | | | |
| 11 | Replace a piston and connecting rod assembly. | | | | |
| 12 | Install valve lifters. | | | | |
| 13 | Replace a camshaft. | | | | |
| 14 | Replace an oil dipper, slinger, or pump. | | | | |
| 15 | Install a crankcase cover or sump. | | | | |

| | | | | | |
|--------------------------------------|--|----------|----------|----------|----------|
| 16 | Adjust and install valves. | | | | |
| 17 | Install a cylinder head. | | | | |
| 18 | Service a crankcase breather. | | | | |
| 19 | Install a short block assembly. | | | | |
| J. STARTING SYSTEM SERVICE | | 0 | 1 | 2 | 3 |
| 1 | Remove and replace a starter spring. | | | | |
| 2 | Remove and replace a starter clutch. | | | | |
| 3 | Remove and replace a rope/starter pulley. | | | | |
| 4 | Remove and replace starter pawls. | | | | |
| 5 | Remove and replace a starter cup. | | | | |
| 6 | Remove and replace a starter rope. | | | | |
| K. ELECTRICAL SYSTEMS SERVICE | | 0 | 1 | 2 | 3 |
| 1 | Service, test, and replace a battery. | | | | |
| 2 | Troubleshoot a starting circuit. | | | | |
| 3 | Perform a starter amperage draw test. | | | | |
| 4 | Replace a starter motor. | | | | |
| 5 | Remove and replace alternator or starter motor bearing or brushes. | | | | |
| 6 | Troubleshoot a charging circuit. | | | | |
| 7 | Remove and replace a voltage regulator. | | | | |
| 8 | Remove and replace starter solenoid. | | | | |
| 9 | Remove and replace ignition switch. | | | | |
| L. DRIVE SYSTEMS | | 0 | 1 | 2 | 3 |
| 1 | Remove and replace a centrifugal clutch. | | | | |
| 2 | Remove and replace an electric PTO. | | | | |
| 3 | Repair a belt clutch. | | | | |
| 4 | Repair and adjust a belt drive assembly. | | | | |
| 5 | Repair a friction drive. | | | | |
| 6 | Change fluid in a hydrostatic transmission. | | | | |

| | | | | | |
|---|---|----------|----------|----------|----------|
| 7 | Repair a manual transmission. | | | | |
| 8 | Repair a differential. | | | | |
| M. SHOP SERVICE MANAGEMENT | | 0 | 1 | 2 | 3 |
| 1 | Determine parts numbers from an illustrated parts list. | | | | |
| 2 | Update replacement parts numbers and prices using catalog. | | | | |
| 3 | Determine parts numbers using digital media. | | | | |
| 4 | Estimate total cost of repairs. | | | | |
| 5 | Complete a work order form. | | | | |
| 6 | Complete a warranty form. | | | | |
| 7 | Role-play various customer interactions. | | | | |
| N. GENERAL MANUAL DRIVE TRAIN AND AXLES DIAGNOSIS AND REPAIR | | 0 | 1 | 2 | 3 |
| 1 | Research vehicle service information including fluid type, vehicle service history, service precautions, and technical service bulletins. P-1 | | | | |
| 2 | Drain and refill manual transmission/transaxle and final drive unit; use proper fluid type per manufacturer specification. P-1 | | | | |
| 3 | Check fluid condition; check for leaks. P-2 | | | | |
| 4 | Identify manual drive train and axle components and configuration. P-1 | | | | |
| O. MANUAL DRIVE CHAIN: CLUTCHES | | 0 | 1 | 2 | 3 |
| 1 | Check and adjust clutch master cylinder fluid level; use proper fluid type per manufacturer specification. P-1 | | | | |
| 2 | Check for hydraulic system leaks. P-1 | | | | |
| P. MANUAL DRIVE TRAIN: TRANSMISSION/TRANSAXLE | | 0 | 1 | 2 | 3 |
| 1 | Describe the operational characteristics of an electronically-controlled manual transmission/transaxle. P-2 | | | | |
| Q. MANUAL DRIVE TRAIN: DRIVE SHAFT, HALF SHAFTS, UNIVERSAL JOINTS AND CONSTANT-VELOCITY (CV) JOINTS (FRONT, REAR, ALL, AND FOUR-WHEEL DRIVE) | | 0 | 1 | 2 | 3 |
| 1 | Inspect, remove, and/or replace bearings, hubs, and seals. P-2 | | | | |
| 2 | Inspect, service, and/or replace shafts, yokes, boots, and universal/CV joints. P-2 | | | | |
| 3 | Inspect locking hubs. P-3 | | | | |

| | | | | | |
|--|--|----------|----------|----------|----------|
| 4 | Check for leaks at drive assembly and transfer case seals; check vents; check fluid level; use proper fluid type per manufacturer specification. P-2 | | | | |
| R. MANUAL DRIVE TRAIN: DIFFERENTIAL CASE ASSEMBLY | | 0 | 1 | 2 | 3 |
| 1 | Clean and inspect differential case; check for leaks; inspect housing vent. P-1 | | | | |
| 2 | Check and adjust differential case fluid level; use proper fluid type per manufacturer specification. P-1 | | | | |
| 3 | Drain and refill differential housing. P-1 | | | | |
| 4 | Inspect and replace drive axle wheel studs. P-1 | | | | |
| S. GENERAL SUSPENSION AND STEERING SYSTEMS | | 0 | 1 | 2 | 3 |
| 1 | Research vehicle service information including fluid type, vehicle service history, service precautions, and technical service bulletins. P-1 | | | | |
| 2 | Disable and enable supplemental restraint system (SRS); verify indicator lamp operation. P-1 | | | | |
| 3 | Identify suspension and steering system components and configurations. P-1 | | | | |
| T. RELATED SUSPENSION AND STEERING SERVICE DIAGNOSIS AND REPAIR | | 0 | 1 | 2 | 3 |
| 1 | Inspect rack and pinion steering gear inner tie rod ends (sockets) and bellows boots. P-1 | | | | |
| 2 | Inspect power steering fluid level and condition. P-1 | | | | |
| 3 | Flush, fill, and bleed power steering system; use proper fluid type per manufacturer specification. P-2 | | | | |
| 4 | Inspect for power steering fluid leakage. P-1 | | | | |
| 5 | Remove, inspect, replace, and/or adjust power steering pump drive belt. P-1 | | | | |
| 6 | Inspect and replace power steering hoses and fittings. P-2 | | | | |
| 7 | Inspect pitman arm, relay (centerlink/intermediate) rod, idler arm, mountings, and steering linkage damper. P-1 | | | | |
| 8 | Inspect tie rod ends (sockets), tie rod sleeves, and clamps. P-1 | | | | |
| 9 | Inspect upper and lower control arms, bushings, and shafts. P-1 | | | | |
| 10 | Inspect and replace rebound bumpers. P-1 | | | | |
| 11 | Inspect track bar, strut rods/radius arms, and related mounts and bushings. P-1 | | | | |
| 12 | Inspect upper and lower ball joints (with or without wear indicators). P-1 | | | | |

| | | | | | |
|---|---|----------|----------|----------|----------|
| 13 | Inspect suspension system coil springs and spring insulators (silencers). P-1 | | | | |
| 14 | Inspect suspension system torsion bars and mounts. P-1 | | | | |
| 15 | Inspect and/or replace front/rear stabilizer bar (sway bar) bushings, brackets, and links. P-1 | | | | |
| 16 | Inspect, remove, and/or replace strut cartridge or assembly; inspect mounts and bushings. P-2 | | | | |
| 17 | Inspect front strut bearing and mount. P-1 | | | | |
| 18 | Inspect rear suspension system lateral links/arms (track bars), control (trailing) arms. P-1 | | | | |
| 19 | Inspect rear suspension system leaf spring(s), spring insulators (silencers), shackles, brackets, bushings, center pins/bolts, and mounts. P-1 | | | | |
| 20 | Inspect, remove, and/or replace shock absorbers; inspect mounts and bushings. P-1 | | | | |
| 21 | Inspect electric power steering assist system. P-2 | | | | |
| 22 | Identify hybrid vehicle power steering system electrical circuits and safety precautions. P-2 | | | | |
| 23 | Describe the function of suspension and steering control systems and components, (i.e. active suspension, and stability control). P-3 | | | | |
| U. SUSPENSION AND STEERING: WHEELS ALIGNMENT | | 0 | 1 | 2 | 3 |
| 1 | Perform pre-alignment inspection; measure vehicle ride height. P-1 | | | | |
| 2 | Describe alignment angles (camber, caster and toe). P-1 | | | | |
| V. SUSPENSION AND STEERING: WHEELS AND TIRES | | 0 | 1 | 2 | 3 |
| 1 | Inspect tire condition; identify tire wear patterns; check for correct tire size, application (load and speed ratings), and air pressure as listed on the tire information placard/label. P-1 | | | | |
| 2 | Rotate tires according to manufacturer's recommendations including vehicles equipped with tire pressure monitoring systems (TPMS). P-1 | | | | |
| 3 | Dismount, inspect, and remount tire on wheel; balance wheel and tire assembly. P-1 | | | | |
| 4 | Dismount, inspect, and remount tire on wheel equipped with tire pressure monitoring system sensor. P-1 | | | | |
| 5 | Inspect tire and wheel assembly for air loss; determine necessary action. P-1 | | | | |
| 6 | Repair tire following vehicle manufacturer approved procedure. P-1 | | | | |
| 7 | Identify indirect and direct tire pressure monitoring systems (TPMS); calibrate system; verify operation of instrument panel lamps. P-2 | | | | |

| | | | | | |
|-------------------------------------|---|----------|----------|----------|----------|
| 8 | Demonstrate knowledge of steps required to remove and replace sensors in a tire pressure monitoring system (TPMS) including relearn procedure. P-1 | | | | |
| W. GENERAL BRAKE SYSTEMS | | 0 | 1 | 2 | 3 |
| 1 | Research vehicle service information including fluid type, vehicle service history, service precautions, and technical service bulletins. P-1 | | | | |
| 2 | Describe procedure for performing a road test to check brake system operation including an anti-lock brake system (ABS). P-1 | | | | |
| 3 | Install wheel and torque lug nuts. P-1 | | | | |
| 4 | Identify and Interpret brake system concerns; determine needed action. P-1 | | | | |
| X. BRAKES: HYDRAULIC SYSTEMS | | 0 | 1 | 2 | 3 |
| 1 | Describe proper brake pedal height, travel, and feet. P-1 | | | | |
| 2 | Check master cylinder for external leaks and proper operation. P-1 | | | | |
| 3 | Inspect brake lines, flexible hoses, and fittings for leaks, dents, kinks, rust, cracks, bulging, wear, and loose fittings/supports. P-1 | | | | |
| 4 | Select, handle, store, and fill brake fluids to proper level; use proper fluid type per manufacturer specification. P-1 | | | | |
| 5 | Identify components of hydraulic brake warning light system. P-3 | | | | |
| 6 | Bleed and/or flush brake system. P-1 | | | | |
| 7 | Test brake fluid for contamination. P-1 | | | | |
| Y. DRUM BRAKES | | 0 | 1 | 2 | 3 |
| 1 | Remove, clean, and inspect brake drum; measure brake drum diameter; determine serviceability. P-1 | | | | |
| 2 | Refinish brake drum and measure final drum diameter; compare with specification. P-1 | | | | |
| 3 | Remove, clean, inspect, and/or replace brake shoes, springs, pins, clips, levers, adjusters/self-adjusters, other related brake hardware, and backing support plates; lubricate and reassemble. P-1 | | | | |
| 4 | Inspect wheel cylinders for leaks and proper operation; remove and replace as needed. P-2 | | | | |
| 5 | Pre-adjust brake shoes and parking brake; install brake drums or drum/hub assemblies and wheel bearings; perform final checks and adjustments. P- | | | | |
| Z. DISC BRAKES | | 0 | 1 | 2 | 3 |

| | | | | | |
|--|---|----------|----------|----------|----------|
| 1 | Remove and clean caliper assembly; inspect for leaks, damage, and wear; determine needed action. P-1 | | | | |
| 2 | Inspect caliper mounting and slides/pins for proper operation, wear, and damage; determine necessary action. | | | | |
| 3 | Remove and inspect, and/or replace brake pads and retaining hardware; determine necessary action. P-1 | | | | |
| 4 | Lubricate and reinstall caliper, brake pads, and related hardware; seat brake pads; inspect for leaks. P-1 | | | | |
| 5 | Clean and inspect rotor and mounting surface; measure rotor thickness, thickness variation, and lateral runout; determine needed action. P-1 | | | | |
| 6 | Remove and reinstall/replace rotor. P-1 | | | | |
| 7 | Refinish rotor on vehicle; measure final rotor thickness and compare with specification. P-1 | | | | |
| 8 | Retract and re-adjust caliper piston on an integrated parking brake system. P-2 | | | | |
| 9 | Check brake pad wear indicator; determine needed action. P-1 | | | | |
| 10 | Describe importance of operating vehicle to burnish/break-in replacement brake pads according to manufacturer's recommendations. P-1 | | | | |
| AA. BRAKES: POWER-ASSIST UNITS | | 0 | 1 | 2 | 3 |
| 1 | Check brake pedal travel with and without engine running to verify proper power booster operation. P-2 | | | | |
| 2 | Identify components of the brake power assist system (vacuum and hydraulic); check vacuum supply (manifold or auxiliary pump) to vacuum-type power booster. P-1 | | | | |
| BB. BRAKES: RELATED SYSTEMS (I.E. WHEEL BEARINGS, PARKING BRAKES, ELECTRICAL) | | 0 | 1 | 2 | 3 |
| 1 | Remove, clean, inspect, repack, and install wheel bearings; replace seals; install hub and adjust bearings. P-1 | | | | |
| 2 | Check parking brake system components for wear, binding, and corrosion; clean, lubricate, adjust and/or replaced as needed. P-2 | | | | |
| 3 | Check parking brake operation and parking brake indicator light system operation; determine needed action. P-1 | | | | |
| 4 | Check operation of brake stop light system. P-1 | | | | |
| 5 | Replace wheel bearing and race. P-2 | | | | |
| 6 | Inspect and replace wheel studs. P-1 | | | | |
| CC. BRAKES: ELECTRONIC BRAKE, TRACTION CONTROL (TCS), STABILITY CONTROL (ESC) SYSTEMS | | 0 | 1 | 2 | 3 |
| 1 | Identify traction control/vehicle stability control system components. P-3 | | | | |

| | | | | | |
|---|--|----------|----------|----------|----------|
| 2 | Describe the operation of a regenerative braking system. P-3 | | | | |
| DD. GENERAL ELECTRICAL/ELECTRONIC SYSTEMS | | 0 | 1 | 2 | 3 |
| 1 | Research vehicle service information including vehicle service history, service precautions, and technical service bulletins. P-1 | | | | |
| 2 | Demonstrate knowledge of electrical/electronic series, parallel, and series-parallel circuits using principles of electricity (Ohm's Law). P-1 | | | | |
| 3 | Use wiring diagrams to trace electrical/electronic circuits. P-1 | | | | |
| 4 | Demonstrate proper use of a digital multimeter (DMM) when measuring source voltage, voltage drop (including grounds), current flow, and resistance. P-1 | | | | |
| 5 | Demonstrate knowledge of the causes and effects from shorts, grounds, opens, and resistance problems in electrical/electronic circuits. P-1 | | | | |
| 6 | Use a test light to check operation of electrical circuits. P-2 | | | | |
| 7 | Use fused jumper wires to check operation of electrical circuits. P-2 | | | | |
| 8 | Measure key-off battery drain (parasitic draw). P-1 | | | | |
| 9 | Inspect and test fusible links, circuit breakers, and fuses; determine necessary action. P-1 | | | | |
| 10 | Repair and/or replace connectors, terminal ends, and wiring of electrical/electronic systems (including solder repair) P-1 | | | | |
| 11 | Identify electrical/electronic system components and configuration. P-1 | | | | |
| EE. ELECTRICAL/ELECTRONIC SYSTEMS: BATTERY SERVICE | | 0 | 1 | 2 | 3 |
| 1 | Perform battery state-of-charge test; determine necessary action. P-1 | | | | |
| 2 | Confirm proper battery capacity for vehicle application; perform battery capacity and load test; determine necessary action. P-1 | | | | |
| 3 | Maintain or restore electronic memory functions. P-1 | | | | |
| 4 | Inspect and clean battery; fill battery cells; check battery cables, connectors, clamps, and hold-downs. P-1 | | | | |
| 5 | Perform slow/fast battery charge according to manufacturer's recommendations. P-1 | | | | |
| 6 | Jump-start vehicle using jumper cables and a booster battery or an auxiliary power supply. P-1 | | | | |
| 7 | Identify safety precautions for high voltage systems on electric, hybrid-electric, and diesel vehicles. P-2 | | | | |
| 8 | Identify electrical/electronic modules, security systems, radios, and other accessories that require re-initialization or code entry after reconnecting vehicle battery. P-1 | | | | |

| | | | | | |
|---|---|----------|----------|----------|----------|
| 9 | Identify hybrid vehicle auxiliary (12v) battery service, repair, and test procedures. P-2 | | | | |
| FF. ELECTRICAL/ELECTRONIC SYSTEMS: STARTING SYSTEM | | 0 | 1 | 2 | 3 |
| 1 | Perform starter current draw test; determine necessary action. P-1 | | | | |
| 2 | Perform starter circuit voltage drop tests; determine necessary action. P-1 | | | | |
| 3 | Inspect and test starter relays and solenoids; determine necessary action. P-2 | | | | |
| 4 | Remove and install starter in a vehicle. P-1 | | | | |
| 5 | Inspect and test switches, connectors, and wires of starter control circuits; determine necessary action. P-2 | | | | |
| 6 | Demonstrate knowledge of an automatic idle-stop/start-stop system. P- | | | | |
| GG. ELECTRICAL/ELECTRONIC SYSTEMS: CHARGING SYSTEM | | 0 | 1 | 2 | 3 |
| 1 | Perform charging system output test; determine necessary action. P-1 | | | | |
| 2 | Inspect, adjust, and/or replace generator (alternator) drive belts; check pulleys and tensioners for wear; check pulley and belt alignment. P-1 | | | | |
| 3 | Remove, inspect, and/or replace generator (alternator). P-2 | | | | |
| 4 | Perform charging circuit voltage drop tests; determine necessary action. P-2 | | | | |
| HH. ELECTRICAL/ELECTRONIC SYSTEMS: LIGHTING, INSTRUMENT CLUSTER, DRIVER INFORMATION, AND BODY ELECTRICAL SYSTEMS | | 0 | 1 | 2 | 3 |
| 1 | Inspect interior and exterior lamps and sockets including headlights and auxiliary lights (fog lights/driving lights); replace as needed. P-1 | | | | |
| 2 | Aim headlights. P-2 | | | | |
| 3 | Identify system voltage and safety precautions associated with high-intensity discharge headlights. P-2 | | | | |
| 4 | Disable and enable supplemental restraint system (SRS); verify indicator lamp operation. P-2 | | | | |
| 5 | Remove and reinstall door panel. P-1 | | | | |
| 6 | Describe the operation of keyless entry/remote-start systems. P-3 | | | | |
| 7 | Verify operation of instrument panel gauges and warning/indicator lights; reset maintenance indicators. P-1 | | | | |
| 8 | Verify windshield wiper and washer operation; replace wiper blades. P-1 | | | | |
| II. GENERAL HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) | | 0 | 1 | 2 | 3 |

| | | | | | |
|---|--|----------|----------|----------|----------|
| 1 | Research vehicle service information, including refrigerant/oil type, vehicle service history, service precautions, and technical service bulletins. P-1 | | | | |
| 2 | Identify heating, ventilation and air conditioning (HVAC) components and configuration. P-1 | | | | |
| JJ. HVAC: REFRIGERATION SYSTEM COMPONENTS | | 0 | 1 | 2 | 3 |
| 1 | Inspect and replace A/C compressor drive belts, pulleys, and tensioners; visually inspect A/C components for signs of leaks; determine necessary action. P-1 | | | | |
| 2 | Identify hybrid vehicle A/C system electrical circuits and the service/safety precautions. P-2 | | | | |
| 3 | Inspect A/C condenser for airflow restrictions; determine necessary action. P- | | | | |
| KK. HEATING, VENTILATION, AND ENGINE COOLING SYSTEMS | | 0 | 1 | 2 | 3 |
| 1 | Inspect engine cooling and heater systems hoses and pipes; determine necessary action. P-1 | | | | |
| LL. HVAC: OPERATING SYSTEMS AND RELATED CONTROLS | | 0 | 1 | 2 | 3 |
| 1 | Inspect A/C-heater ducts, doors, hoses, cabin filters, and outlets; determine necessary action. | | | | |
| 2 | Identify the source of A/C system odors | | | | |
| MM. GENERAL ENGINE PERFORMANCE | | 0 | 1 | 2 | 3 |
| 1 | Research vehicle service information, including fluid type, vehicle service history, service precautions, and technical service bulletins. P-1 | | | | |
| 2 | Perform engine absolute manifold pressure tests (vacuum/boost); document results. P-2 | | | | |
| 3 | Perform cylinder power balance test; document results. P-2 | | | | |
| 4 | Perform cylinder cranking and running compression tests; document results. P-2 | | | | |
| 5 | Perform cylinder leakage test; document results. P-2 | | | | |
| 6 | Verify engine operating temperature. P-1 | | | | |
| 7 | Remove and replace spark plugs; inspect secondary ignition components for wear and damage. P-1 | | | | |
| NN. COMPUTERIZED CONTROLS | | 0 | 1 | 2 | 3 |
| 1 | Retrieve and record diagnostic trouble codes (DTC), OBD monitor status, and freeze frame data; clear codes when applicable. P-1 | | | | |
| 2 | Describe the use of the OBD monitors for repair verification. P-1 | | | | |
| OO. FUEL, AIR INDUCTION, AND EXHAUST SYSTEMS | | 0 | 1 | 2 | 3 |

| | | | | | |
|--------------------------------------|---|----------|----------|----------|----------|
| 1 | Replace fuel filter(s) where applicable. P-2 | | | | |
| 2 | Inspect, service, or replace air filters, filter housings, and intake duct work. P-1 | | | | |
| 3 | Inspect integrity of the exhaust manifold, exhaust pipes, muffler(s), catalytic converter(s), resonator(s), tail pipe(s), and heat shields; determine necessary action. P-1 | | | | |
| 4 | Inspect condition of exhaust system hangers, brackets, clamps, and heat shields; determine necessary action. P-1 | | | | |
| 5 | Check and refill diesel exhaust fluid (DEF). P-2 | | | | |
| PP. EMISSIONS CONTROL SYSTEMS | | 0 | 1 | 2 | 3 |
| 1 | Inspect, test, and service positive crankcase ventilation (PCV) filter/breather, valve, tubes, orifices, and hoses; perform necessary action. P-2 | | | | |