

**SOUTH CAROLINA**  
**2014 Chronic Performance Measures**  
**Weighted Principal Results**

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N
<b>Supportive School Nutrition Environment</b>												
SSNE 1. Percentage of schools that do not sell less healthy foods and beverages (soda pop or fruit drinks, sports drinks, baked goods, salty snacks, candy).	6.9	4.3 - 11.1	102	32.4	27.8 - 37.5	149	39.9	18.2 - 66.4	10	22.7	19.7 - 26.1	261
SSNE 2. Percentage of schools that prohibit all forms of advertising and promotion for candy, fast food restaurants, and soft drinks.	31.3	25.1 - 38.3	102	53.2	48.0 - 58.2	149	-	-	11	43.5	39.7 - 47.5	262
SSNE 3. Percentage of schools that price nutritional foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages.	4.9	2.8 - 8.7	101	9.9	7.0 - 13.6	148	-	-	10	8.3	6.3 - 10.9	259
SSNE 4. Percentage of schools that provide information to students or families on the nutrition, caloric, and sodium content of foods available.	46.0	39.7 - 52.4	100	60.0	55.0 - 64.7	149	-	-	10	53.8	50.0 - 57.5	259

- Results are suppressed due to insufficient number of respondents.  
N = Unweighted number of observations.

**SOUTH CAROLINA**  
**2014 Chronic Performance Measures**  
**Weighted Principal Results**

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N
SSNE 5. Percentage of schools that place fruits and vegetables near the cafeteria cashier, where they are easy to access.	77.0	70.9 - 82.1	100	69.6	64.6 - 74.1	149	-	-	10	72.9	69.1 - 76.3	259
SSNE 6. Percentage of schools that allow students to have access to drinking water.	80.2	75.1 - 84.6	101	62.9	57.7 - 67.9	148	-	-	11	69.3	65.7 - 72.7	260
SSNE 7. Percentage of schools that offer fruits or non-fried vegetables when foods or beverages are offered at school celebrations.	39.3	33.9 - 45.0	102	31.9	27.2 - 37.0	151	-	-	10	33.6	30.1 - 37.2	263
SSNE 8. Percentage of schools that allow students to purchase fruits and vegetables from vending machines or at the school store, canteen, or snack bar.	32.2	26.5 - 38.5	102	19.9	16.3 - 24.1	148	-	-	10	24.4	21.2 - 27.8	260

- Results are suppressed due to insufficient number of respondents.  
N = Unweighted number of observations.

**SOUTH CAROLINA**  
**2014 Chronic Performance Measures**  
**Weighted Principal Results**

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N
<b>Comprehensive School Physical Activity Program</b>												
CSPAP. Percentage of schools that have established, implemented, or evaluated CSPAP.	2.9	1.4 - 6.1	102	4.7	3.1 - 7.0	148	-	-	11	3.8	2.7 - 5.5	261

- Results are suppressed due to insufficient number of respondents.  
N = Unweighted number of observations.

**SOUTH CAROLINA**  
**2014 Chronic Performance Measures**  
**Weighted Principal Results**

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N
<b>Students with Chronic Conditions</b>												
SWCC1. Percentage of schools that identify and track students with chronic conditions that may require daily or emergency management (e.g., asthma, food allergies).	96.1	92.6 - 98.0	102	99.3	97.6 - 99.8	152	-	-	11	98.1	96.6 - 98.9	265
SWCC2. Percentage of schools that have protocols that ensure students with a chronic condition that may require daily or emergency management are enrolled into private, state, or federally funded insurance programs if eligible.	70.8	64.7 - 76.3	96	69.9	64.7 - 74.7	141	-	-	11	69.6	65.7 - 73.2	248
SWCC3. Percentage of schools that provide referrals to community-based medical care providers for students identified with chronic conditions or at risk for activity, diet, and weight-related chronic conditions.	66.4	61.0 - 71.5	101	56.6	51.2 - 61.9	149	-	-	11	60.3	56.5 - 64.1	261

- Results are suppressed due to insufficient number of respondents.  
N = Unweighted number of observations.